




# Mac OS label size configuration

Hudoo Product LLC

Dec, 2020



1. Open the PDF file you want to print and click “Print”.



2. Choose the corresponding driver and 4 x 6 inch label size

The screenshot shows a printing interface for a USPS First-Class label. On the left is a preview of the label with a 'SAMPLE LABEL' watermark. On the right, the printer settings are displayed. The 'Printer' dropdown is set to '192.168.31.38'. The 'Presets' dropdown is set to 'Default Settings'. The 'Copies' dropdown is set to '1'. The 'Pages' dropdown is set to '1'. The 'Paper Size' dropdown is open, showing options: '2 x 4 (2.00 in x 4.00 in)', '4 x 4 (4.00 in x 4.00 in)', '4 x 6 (4.00 in x 6.00 in)', 'Untitled', 'Other' (selected), and 'Manage Custom Sizes...'. The 'Orientation' dropdown is set to 'Portrait'. The 'Preview' dropdown is set to 'Preview'. The 'Auto Rotate' checkbox is checked. The 'Show Notes' checkbox is unchecked. The 'Scale' dropdown is set to '90%'. The 'Scale to Fit' radio button is selected. The 'Print Entire Image' radio button is selected. The 'Fill Entire Paper' radio button is unselected. The 'Copies per page' dropdown is set to '1'. At the bottom, there are buttons for '?', 'PDF', 'Hide Details', 'Cancel', and 'Print'.

3. . Click “Print Features”.

The screenshot shows a print dialog box for a USPS shipping label. On the left is a preview of the label, which includes the USPS logo, 'US POSTAGE PAID' information, the sender's address (1234 W. WISCONSIN AVE, MILWAUKEE, WI 53201), and a tracking number (1234 5678 9012 3456 7890 12). A large 'SAMPLE LABEL' watermark is overlaid on the preview. Below the preview are navigation arrows and '1 of 1'.

On the right, the print settings are as follows:

- Printer: 192.168.31.38
- Presets: Default Settings
- Copies: 1
- Pages: All (radio button selected)
- Paper Size: 4 x 6 (4.00 in x 6.00 in) 102 by 152 mm
- Orientation: Portrait (radio button selected)
- Scale: Scale to Fit (radio button selected)
- Copies per page: 1

A dropdown menu is open over the 'Scale to Fit' option, showing the following items:

- Preview (checked)
- Layout
- Paper Handling
- Cover Page
- Printer Features (highlighted with a red border)

At the bottom of the dialog are buttons for '?', 'PDF', 'Hide Details', 'Cancel', and 'Print'.

4. Click “Media Setting”.

The screenshot shows a printing interface with a preview of a USPS First-Class label on the left and printer settings on the right. The label includes the following text: "UNITED STATES POSTAL SERVICE", "a preferred shipping service on ebay", "US POSTAGE PAID", "Filbey Boxes", "ComBasPrice", "024P0007776182", "10/06/2015", "From 53219", "0 lbs 3.0oz", "USPS FIRST-CLASS 1 KG", "USER A TESTUSER", "1234 W. WISCONSIN AVE", "MILWAUKEE, WI 53201", "0000", "HANDFLIP PRICE", "100 W. F...", "Madison...", "C002", "USPS TRACKING #", and a barcode with the number "1234 5678 9012 3456 7890 12". A large "SAMPLE LABEL" watermark is overlaid on the label. The printer settings on the right include: "Printer: 192.168.31.38", "Presets: Default Settings", "Copies: 1", "Pages: All", "Paper Size: 4 x 6 (4.00 in x 6.00 in) 102 by 152 mm", and "Orientation" icons. A "Printer Features" dropdown menu is open, showing "Quality" (checked), "Media Setting" (highlighted with a red box), "Effects", and "Printer Options". At the bottom, there are buttons for "?", "PDF", "Hide Details", "Cancel", and "Print".

5. Choose following:

\* Method: Direct Thermal

\* Type: Label with Gaps

\* GapsHeight : 0.118in

The screenshot displays a printing software interface. On the left, a preview of a USPS First-Class label is shown with a large diagonal watermark reading "SAMPLE LABEL". The label includes fields for "US POSTAGE PAID", "From 53219", "CombinedPost", "0 lbs 3.0oz", "USPS FIRST-CLASS MAIL PERMIT NO. 1000 MILWAUKEE, WI 53201", "HANDFLIP TO USE", "100 W. Franklin Madison WI 53703", "USPS TRACKING #", and a barcode with the number "1234 5678 9012 3456 7890 12".

On the right, the configuration panel includes the following settings:

- Printer: 192.168.31.38
- Presets: Default Settings
- Copies: 1
- Pages: All (radio button selected)
- From: 1 to: 1
- Paper Size: 4 x 6 (4.00 in x 6.00 in)
- Orientation: Portrait (selected)
- Printer Features: (dropdown menu)
- Feature Sets: Media Setting
- Method: Direct Thermal (highlighted with a red box)
- Type: Label with Gaps (highlighted with a red box)
- GapsHeight: 0.118 in (highlighted with a red box and selected in the dropdown menu)
- Post-Print Action: (dropdown menu)
- Occurrences: (dropdown menu)

At the bottom of the interface, there are buttons for "?", "PDF", "Hide Details", "Cancel", and "Print".

6. Click “Print”.

Printer: 192.168.31.38

Presets: Default Settings

Copies: 1

Pages:  All  
 From: 1 to: 1

Paper Size: 4 x 6 (4.00 in x 6.00 in) 102 by 152 mm

Orientation:  Portrait  Landscape

Printer Features

Feature Sets: Media Setting

Method: Direct Thermal

Type: Label with Gaps

GapsHeight: 0.118 in


Post-Print Action: Tear Off

Occurrence: After Every Page

PDF Hide Details

Cancel **Print**

7. Next time when you print, choose “Last Used Settings” to use the last print settings.





**Hudoo**

[www.hudoo.us](http://www.hudoo.us)